

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Sternberg *et al.*
Serial No.: 09/655,160
Filed: September 5, 2000
For: POLYCYSTIC KIDNEY DISEASE GENE
HOMOLOGS REQUIRED FOR MALE
MATING BEHAVIOR IN NEMATODES AND
ASSAYS BASED THEREON
Art Unit: 1632
Examiner: Unassigned

I hereby certify that this paper and the
attached papers are being deposited with
the United States Postal Service as first
class mail in an envelope addressed to:
Commissioner for Patents
Washington, D.C. 20231, on this date.

02/08/01
Date

Shelley M. Callagy
Shelley M. Callagy

**INFORMATION DISCLOSURE STATEMENT IN ACCORDANCE
WITH 37 C.F.R. §§ 1.97-1.98**

Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Since this Information Disclosure Statement is filed before the receipt of a first Office Action on the merits for the above-captioned application, no filing fee is due. If it is determined that a fee is due, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 50-1213.

In accordance with the duty of disclosure imposed by 37 C.F.R. §1.56 to inform the Patent Office of all references known by Applicant or Applicant's representative that may be material to the examination of the subject application, Applicant's representative hereby provides this Information Disclosure Statement that is prepared in accordance with 37 C.F.R. §§1.97-1.98. The Forms PTO-1449 (9 pages) are provided herewith. In accordance with 37 C.F.R. §1.98(d), copies of the references marked with an asterisk on the Form PTO-1449 are not provided herewith, as they have been previously provided in connection with application U.S. Serial No. 09/479,467, which is relied upon for an earlier filing date in accordance with 35 U.S.C. §120. Copies of references for Item Nos. BR, CC, CP, DB, DR, EQ, EV, and FB, which were cited in the parent case U.S. Serial No. 09/479,467, are provided herewith.

The documents listed on the Forms PTO-1449 and supplied herewith are in the English language. Hence, in accordance with the requirements of 37 C.F.R. §1.98, as

U.S.S.N. 09/655,160
Sternberg *et al.*
IDS

amended effective March 16, 1992, no further explanation of the listed items is necessary.

Applicant also makes known to the Examiner the following related U.S. and International applications and their status:

<u>U.S.S.N.</u>	<u>Filing Date</u>	<u>Docket No.</u>	<u>Status</u>
09/479,467	01/06/00	2919	Pending
60/115,127	01/06/99	P2919	Pending

<u>Int'l Patent No.</u>	<u>Filing Date</u>	<u>Docket No.</u>	<u>Status</u>
PCT/US00/00521 (WO 00/40711)	01/06/00	2919PC	Issued

Although these documents are made known to the Patent and Trademark Office in compliance with Applicant's duty of disclosure, such disclosure is not to be construed as an admission by Applicant or Applicant's representative that any of the references, singly or in any combination thereof, is effective as prior art against the subject application. In accordance with 37 C.F.R. §1.97(h), the filing of this Supplemental Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 C.F.R. §1.56(b) exists.

Applicant respectfully requests that the Examiner review the foregoing references and they be made of record in the file history of the above-captioned application.

Respectfully submitted,
HELLER EHRMAN WHITE & McAULIFFE LLP

By: _____
Stephanie Seidman
Registration No. 33,779

Dated: February 8, 2001
Attorney Docket No. 18021-2919B
Address all correspondence to:
HELLER EHRMAN WHITE & McAULIFFE LLP
4250 Executive Square, 7th Floor
La Jolla, California 92037
Telephone: (858) 450-8400
Facsimile: (858) 587-5360
E-mail: sseidman@HEWM.com



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER							DATE	NAME	CLASS	SUB CLASS	FILING DATE
*	AA	4	5	6	8	6	3	9	02/04/86	Lew	435	68	02/21/85
*	AB	4	7	5	6	9	0	8	07/12/88	Lew	424	88	06/12/85
*	AC	5	1	9	6	3	3	3	03/23/93	Chalfie <i>et al.</i>	435	240.1	05/30/90
*	AD	5	4	7	2	8	7	1	12/05/95	Wood <i>et al.</i>	435	252.3	02/09/94
*	AE	5	5	5	9	0	2	6	09/24/96	Price <i>et al.</i>	435	254.2	10/31/94
*	AF	5	7	4	1	6	6	8	04/21/98	Ward <i>et al.</i>	435	69.1	05/26/95
*	AG	5	7	8	9	1	8	9	08/04/98	Woo	435	30	
*	AH	5	8	4	0	5	4	0	11/24/98	St. George Hyslop <i>et al.</i>	435	69.1	11/10/97
*	AI	5	8	9	1	6	2	8	04/06/99	Reeders <i>et al.</i>	435	6	06/02/95
*	AJ	5	9	2	9	2	0	7	07/27/99	Horvitz <i>et al.</i>	530	324	01/12/96
*	AK	5	9	6	2	3	0	1	10/05/99	Horvitz <i>et al.</i>	435	226	02/24/95
*	AL	5	9	7	2	8	8	2	10/26/99	Gattone, II	514	11	12/14/98
*	AM	5	9	8	5	8	3	0	11/16/99	Acott <i>et al.</i>	514	12	09/16/97
*	AN	5	9	8	6	0	5	4	11/16/99	St. George Hyslop <i>et al.</i>	530	350	01/26/96

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	Translation Yes No	
*	AO	9	5	3	4	5	7	3	12/21/95	PCT				
*	AP	9	6	3	8	5	5	5	12/05/96	PCT				
*	AQ	9	9	3	7	7	7	0	07/29/99	PCT				


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	AR	Aroian <i>et al.</i> , Mutations in the <i>Caenorhabditis elegans</i> <i>let-23</i> EGFR-like gene define elements important for cell-type specificity and function, <u>The EMBO Journal</u> 13(2):360-366 (1994).
---	----	--

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	AS	Aroian <i>et al.</i> , The <i>let-23</i> gene necessary for <i>Caenorhabditis elegans</i> vulval induction encodes a tyrosine kinase of the EGF receptor subfamily, <u>Nature</u> 348:693-699 (1990).
*	AT	Aroian <i>et al.</i> , Multiple Functions of <i>let-23</i> , a <i>Caenorhabditis elegans</i> Receptor Tyrosine Kinase Gene Required for Vulval Induction, <u>Genetics</u> 128:251-267 (1991).
*	AU	Bargmann, Neurobiology of the <i>Caenorhabditis elegans</i> Genome, <u>Science</u> 282:2028-2033 (1998).
*	AV	Barr <i>et al.</i> , A polycystic kidney-disease gene homologue required for male mating behaviour in <i>C. elegans</i> , <u>Nature</u> 401:386-389 (1999).
*	AW	Brenner, The Genetics of <i>Caenorhabditis Elegans</i> , <u>Genetics</u> 77:71-94 (1974).
*	AX	Bronner-Fraser, M. and P.W. Sternberg, Pattern formation and development mechanisms: The cell biological basis of inductive signaling, <u>Curr. Opin. Genet. Dev.</u> 10:347-9 (2000).
*	AY	Brundage <i>et al.</i> , Mutations in a <i>C. elegans</i> $G_q\alpha$ Gene Disrupt Movement, Egg Laying, and Viability, <u>Neuron</u> 16(5):999-1009 (1996).
*	AZ	Carraway <i>et al.</i> , Mucin Structure and Function: Insights from Molecular Biology, <u>Trends in Glycoscience and Glycotechnology</u> 7(33):31-44 (1995).
*	BA	Chalfie <i>et al.</i> , Green Fluorescent Protein as a Marker for Gene Expression, <u>Science</u> 263:802-805 (1994).
*	BB	Chamberlin <i>et al.</i> , Characterization of Seven Genes Affecting <i>Caenorhabditis elegans</i> Hindgut Development, <u>Genetics</u> 153(2):731-742 (1999).
*	BC	Chamberlin <i>et al.</i> , The <i>lin-3/let-23</i> pathway mediates inductive signalling during male spicule development in <i>Caenorhabditis elegans</i> , <u>Development</u> 120:2713-2721 (1994).
*	BD	Chamberlin <i>et al.</i> , The <i>PAX</i> gene <i>egl-38</i> mediates developmental patterning in <i>Caenorhabditis elegans</i> , <u>Development</u> 124(20):3919-3928 (1997).
*	BE	Chamberlin <i>et al.</i> , Multiple cell interactions are required for fate specification during male spicule development in <i>Caenorhabditis elegans</i> , <u>Development</u> 118(2):297-324 (1993).
*	BF	Chang <i>et al.</i> , Reciprocal EGF signaling back to the uterus from the induced <i>C. elegans</i> vulva coordinates morphogenesis of epithelia, <u>Current Biology</u> 9(5):237-246 (1999).
*	BG	Chang <i>et al.</i> , <i>C.elegans</i> vulval development as a model system to study the cancer biology of EGFR signaling, <u>Cancer and Metastasis Reviews</u> 18:203-13 (1999).
*	BH	Chang <i>et al.</i> , <i>Caenorhabditis elegans</i> SOS-1 is necessary for multiple RAS-mediated developmental signals, <u>The EMBO Journal</u> 19(13):3283-94 (2000).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	BI	Chen <i>et al.</i> , Polycystin-L is a calcium-regulated cation channel permeable to calcium ions, <u>Nature</u> 401:383-386 (1999).
*	BJ	Clandinin <i>et al.</i> , Inositol Trisphosphate Mediates a RAS-Independent Response to LET-23 Receptor Tyrosine Kinase Activation in <i>C. elegans</i> , <u>Cell</u> 92(4):523-533 (1998).
*	BK	Clandinin <i>et al.</i> , <i>Caenorhabditis elegans</i> HOM-C Genes Regulate the Response of Vulval Precursor Cells to Inductive Signal, <u>Developmental Biology</u> 182(1):150-161 (1997).
*	BL	Collet <i>et al.</i> , Analysis of <i>osm-6</i> , a Gene That Affects Sensory Cilium Structure and Sensory Neuron Function in <i>Caenorhabditis elegans</i> , <u>Genetics</u> 148:187-200 (1998).
*	BM	Daoust <i>et al.</i> , Evidence for a Third Genetic Locus for Autosomal Dominant Polycystic Kidney Disease, <u>Genomics</u> 25:733-736 (1995).
*	BN	Database Embl Nucleotide and Protein Sequences, 9 November 1999, XP002140196 Hinxton, GB AC = AL132862. <i>Caenorhabditis elegans</i> cosmid Y73F8A. From nt 1605-9677.
*	BO	Database Embl Nucleotide and Protein Sequences, 1 November 1996, XP002140195 Hinxton, GB AC = Q21027. Similar to Glycoproteins. F59A6.3. <i>Caenorhabditis elegans</i> abstract.
*	BP	Database Embl Nucleotide and Protein Sequences, 1 March 1995, XP002140194 Hinxton, GB AC = Z48544, <i>Caenorhabditis elegans</i> cosmid ZK945. Polysystic kidney disease protein1. From nt 24444 to nt 25742.
*	BQ	Driscoll <i>et al.</i> , Mechanotransduction, <u>C. elegans II</u> , pp. 645-677 (1997).
	BR	Ebert <i>et al.</i> , A Moloney MLV-Rat Somatotropin Fusion Gene Produces Biologically Active Somatotropin in a Transgenic Pig, <u>Molecular Endocrinology</u> 2:277-83 (1988).
*	BS	Emmons <i>et al.</i> , Mating, channels and kidney cysts, <u>Nature</u> 401:339-340 (1999).
*	BT	Felix <i>et al.</i> , Symmetry breakage in the development of one-armed gonads in nematodes, <u>Development</u> 122(7):2129-2142 (1996).
*	BU	Felix <i>et al.</i> , A gonad-derived survival signal for vulval precursor cells in two nematode species, <u>Curr. Biol.</u> 8(5):287-290 (1998).
*	BV	Felix <i>et al.</i> , Evolution of Vulva Development in the Cephalobina (Nematoda), <u>Developmental Biology</u> 221:68-86 (2000).
*	BW	Ferguson <i>et al.</i> , A genetic pathway for the specification of the vulval cell lineages of <i>Caenorhabditis elegans</i> , <u>Nature</u> 326:259-267 (1987).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	BX	Gabow <i>et al.</i> Polycystic Kidney Disease, <i>Diseases of the Kidney</i> Schrier, R.W. and C.W. Gottschalk (eds.) 1993.
*	BY	Gabow, Autosomal Dominant Polycystic Kidney Disease - More Than a Renal Disease, <i>American Journal of Kidney Diseases</i> 16(5):403-413 (1990).
*	BZ	Germino <i>et al.</i> , The Gene for Autosomal Dominant Polycystic Kidney Disease Lies in a 750-kb CpG-Rich Region, <i>Genomics</i> 13:144-151 (1992).
*	CA	Golden <i>et al.</i> , The Roles of SH2/SH3 Domains in Nematode Development, <i>Bioessays</i> 14(7):481-484 (1992).
*	CB	Hajdu-Cronin <i>et al.</i> , Antagonism between G_{α} and G_{α} in <i>Caenorhabditis elegans</i> : the RGS protein EAT-16 is necessary for G_{α} signaling and regulates G_{α} activity, <i>Genes & Development</i> 13(14):1780-1793 (1999).
	CC	Hammer <i>et al.</i> , Genetic Engineering of Mammalian Embryos, <i>J. Amin. Sci.</i> 63:269-78 (1986).
*	CD	Han <i>et al.</i> , <i>C. elegans lin-45 raf</i> gene participates in <i>let-60 ras</i> -stimulated vulval differentiation, <i>Nature</i> 363(6425):133-140 (1993).
*	CE	Han <i>et al.</i> , Analysis of dominant-negative mutations of the <i>Caenorhabditis elegans let-60 ras</i> gene, <i>Genes & Development</i> 5(12A):2188-2198 (1991).
*	CF	Han <i>et al.</i> , The <i>let-60</i> Locus Controls the Switch Between Vulval and Nonvulval Cell Fates in <i>Caenorhabditis elegans</i> , <i>Genetics</i> 126:899-913 (1990).
*	CG	Herskowitz, Functional inactivation of genes by dominant negative mutations, <i>Nature</i> 329:219-222 (1987).
*	CH	Hill <i>et al.</i> , The gene <i>lin-3</i> encodes an inductive signal for vulval development in <i>C. elegans</i> , <i>Nature</i> 358(6386):470-476 (1992).
*	CI	Hill <i>et al.</i> , Cell fate patterning during <i>C. elegans</i> vulval development, <i>Development</i> pp. 9-18 (1993).
*	CJ	Himmelbauer <i>et al.</i> , Human-Mouse Homologies in the Region of the Polycystic Kidney Disease Gene (PKD1), <i>Genomics</i> 13:35-38 (1992).
*	CK	Hodgkin, Male Phenotypes and Mating Efficiency in <i>Caenorhabditis elegans</i> , <i>Genetics</i> 103:43-64 (1983).
*	CL	Hodgkin, Sexual Dimorphism and Sex Determination, <i>The Nematode C. elegans</i> , pp. 243-279 (1988).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	CM	Hoffmann <i>et al.</i> , Learning about cancer genes through invertebrate genetics, <u>Curr. Opin. Genet. Dev.</u> 2(1):45-52 (1992).
*	CN	Hopper <i>et al.</i> , ARK-1 Inhibits EGFR Signaling in <i>C. elegans</i> , <u>Molecular Cell.</u> 6:65-75 (2000).
*	CO	Horvitz <i>et al.</i> , Multiple intercellular signalling systems control the development of the <i>Caenorhabditis elegans</i> vulva, <u>Nature</u> 351:535-541 (1991).
	CP	Houdebine <i>et al.</i> , Production of pharmaceutical proteins from transgenic animals, <u>Journal of Biotechnology</u> 34:269-84 (1994).
*	CQ	Hsieh <i>et al.</i> , The RING finger/B-box factor TAM-1 and a retinoblastoma-like protein LIN-35 modulate context-dependent gene silencing in <i>Caenorhabditis elegans</i> , <u>Genes & Development</u> 13(22):2958-70 (1999).
*	CR	Huang <i>et al.</i> , Genetic Dissection of Developmental Pathways, <u>Methods Cell Biol.</u> 48:97-122 (1995).
*	CS	Huang <i>et al.</i> , The <i>lin-15</i> Locus Encodes Two Negative Regulators of <i>Caenorhabditis elegans</i> Vulval Development, <u>Molecular Biology of the Cell</u> 5:395-412 (1994).
*	CT	Hudspeth, How the ear's works work, <u>Nature</u> 341:397-404 (1989).
*	CU	Hughes <i>et al.</i> , The polycystic kidney disease 1 (PKD1) gene encodes a novel protein with multiple cell recognition domains, <u>Nature Genetics</u> 10:151-160 (1995).
*	CV	Hughes <i>et al.</i> , Identification of a human homologue of the sea urchin receptor for egg jelly: a polycystic kidney disease-like protein, <u>Human Molecular Genetics</u> 8(3):543-549 (1999).
*	CW	Jiang <i>et al.</i> , An HMG1-like protein facilitates Wnt signaling in <i>Caenorhabditis elegans</i> , <u>Genes & Development</u> 13(7):877-889 (1999).
*	CX	Jiang <i>et al.</i> , Interactions of EGF, Wnt and HOM-C genes specify the P12 neuroectoblast fate in <i>C. elegans</i> , <u>Development</u> 125(12): 2337-2347 (1998).
*	CY	Jiang <i>et al.</i> , Socket Cells Mediate Spicule Morphogenesis in <i>Caenorhabditis elegans</i> Males, <u>Developmental Biology</u> 211(1):88-99 (1999).
*	CZ	Jongeward <i>et al.</i> , <i>gli-1</i> , a Negative Regulator of <i>let-23</i> -Mediated Signaling in <i>C. elegans</i> , <u>Genetics</u> 139(4):1553-1566 (1995).
*	DA	Kaplan <i>et al.</i> , A dual mechanosensory and chemosensory neuron in <i>Caenorhabditis elegans</i> , <u>Proc. Natl. Acad. Sci. USA</u> 90:2227-2231 (1993).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)	ATTY. DOCKET NO. 18021-2919B	SERIAL NO. 09/655,160
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	APPLICANT Sternberg et al.	
	FILING DATE September 5, 2000	GROUP 1632


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	DB	Kappel <i>et al.</i> , Regulating gene expression in transgenic animals, <u>Current Biology</u> 3:548-553 (1992).
*	DC	Katz <i>et al.</i> , Different Levels of the <i>C. elegans</i> Growth Factor LIN-3 Promote Distinct Vulval Precursor Fates, <u>Cell</u> 82(2):297-307 (1995).
*	DE	Katz <i>et al.</i> , A Point Mutation in the Extracellular Domain Activates LET-23, the <i>Caenorhabditis elegans</i> Epidermal Growth Factor Receptor Homolog, <u>Mol. Cell. Biol.</u> 16(2):529-537 (1996).
*	DF	Katz <i>et al.</i> , A plethora of intercellular signals during <i>Caenorhabditis elegans</i> development, <u>Curr. Opin. Cell Biol.</u> 4(6):939-947 (1992).
*	DG	Kayne <i>et al.</i> , Ras pathways in <i>Caenorhabditis elegans</i> , <u>Curr. Opin. Genet. Dev.</u> 5(1):38-43 (1995).
*	DH	Kimberling <i>et al.</i> , Autosomal Dominant Polycystic Kidney Disease: Localization of the Second Gene to Chromosome 4q13-q23, <u>Genomics</u> 18:467-472 (1993).
*	DI	Lee <i>et al.</i> , <i>unc-101</i> , a gene required for many aspects of <i>Caenorhabditis elegans</i> development and behavior, encodes a clathrin-associated protein, <u>Genes & Development</u> 8:60-73 (1994).
*	DJ	Lesa <i>et al.</i> , Positive and Negative Tissue-specific Signaling by a Nematode Epidermal Growth Factor Receptor, <u>Mol. Biol. Cell</u> 8(5):779-793 (1997).
*	DK	Liu <i>et al.</i> , Sensory Regulation of Male Mating Behavior in <i>Caenorhabditis elegans</i> , <u>Neuron</u> 14:79-89 (1995).
*	DL	McDonald <i>et al.</i> , Inherited Polycystic Kidney Disease in Children, <u>Seminars in Nephrology</u> 11(6):632-642 (1991).
*	DM	Mendel <i>et al.</i> , Participation of the Protein G _o in Multiple Aspects of Behavior in <i>C. elegans</i> , <u>Science</u> 267(5204):1652-1655 (1995).
*	DN	<i>Methods in Cell Biology</i> Vol. 48: <i>Caenorhabditis elegans</i> : Modern Biological Analysis of an Organism. Epstein, H.F. and D.C. Skakes (eds.) Academic Press, Inc. 1995.
*	DO	Mochizuki <i>et al.</i> , PKD2, a Gene for Polycystic Kidney Disease That Encodes an Integral Membrane Protein, <u>Science</u> 272:1339-1342 (1996).
*	DP	Montell <i>et al.</i> , Molecular Characterization of the <i>Drosophila trp</i> Locus: A Putative Integral Membrane Protein Required for Phototransduction, <u>Neuron</u> 2:1313-1323 (1989).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632


OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	DQ	Mori <i>et al.</i> , The identification of a <i>Caenorhabditis elegans</i> homolog of p34 ^{cdc2} kinase, <u>Mol. Gen. Genet.</u> 245:781-786 (1994).
	DR	Mullins <i>et al.</i> , Perspectives Series: Molecular Medicine in Genetically Engineered Animals, <u>J. Clin. Invest.</u> , 98(11):S37-S40 (1996).
*	DS	Newman <i>et al.</i> , Coordinated morphogenesis of epithelia during development of the <i>Caenorhabditis elegans</i> uterine-vulval connection, <u>Proc. Natl. Acad. Sci. USA</u> 93(18):9329-9333 (1996).
*	DT	Newman <i>et al.</i> , The <i>Caenorhabditis elegans</i> <i>lin-12</i> gene mediates induction of ventral uterine specialization by the anchor cell, <u>Development</u> 121(2):263-271 (1995).
*	DU	Newman <i>et al.</i> , The <i>lin-11</i> LIM domain transcription factor is necessary for morphogenesis of <i>C. elegans</i> uterine cells, <u>Development</u> 126(23):5319-26 (1999).
*	DV	Newman <i>et al.</i> , Morphogenesis of the <i>C. elegans</i> hermaphrodite uterus, <u>Development</u> 122:3617-26 (1996).
*	DW	Newman <i>et al.</i> , The <i>Caenorhabditis elegans</i> heterochronic gene <i>lin-29</i> coordinates the vulval-uterine-epidermal connections, <u>Current Biol.</u> 10:1479-88 (2000).
*	DX	Nomura <i>et al.</i> , Identification of <i>PKDL</i> , a Novel Polycystic Kidney Disease 2-Like Gene Whose Murine Homologue Is Deleted in Mice with Kidney and Retinal Defects, <u>J. Biol. Chem.</u> 273(40):25967-25973 (1998).
*	DY	Perkins <i>et al.</i> , Mutant Sensory Cilia in the Nematode <i>Caenorhabditis elegans</i> , <u>Developmental Biology</u> 117:456-487 (1986).
*	DZ	Qian <i>et al.</i> , PKD1 interacts with PKD2 through a probable coiled-coil domain, <u>Nature Genetics</u> 16:179-183 (1997).
*	EA	Reeders <i>et al.</i> , A highly polymorphic DNA marker linked to adult polycystic kidney disease on chromosome 16, <u>Nature</u> 317:542-544 (1985).
*	EB	Sambrook <i>et al.</i> (1989) <u>Molecular Cloning: A Laboratory Manual</u> , 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
*	EC	Schnabel <i>et al.</i> , An Organ-Specific Differentiation Gene, <i>pha-1</i> , from <i>Caenorhabditis elegans</i> , <u>Science</u> 250:686-688 (1990).
*	ED	Scott <i>et al.</i> , TRP, TRPL and trouble in photoreceptor cells, <u>Current Opinion in Neurobiology</u> 8:383-388 (1998).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	EE	Shim <i>et al.</i> , Distinct and Redundant Functions of u1 Medium Chains of the AP-1 Clathrin-Associated Protein Complex in the Nematode <i>Caenorhabditis elegans</i> , <u>Molecular Biology</u> 11:2743-56 (2000).
*	EF	Somlo <i>et al.</i> , Fine Genetic Localization of the Gene for Autosomal Dominant Polycystic Kidney Disease (PKD1) with Respect to Physically Mapped Markers, <u>Genomics</u> 13:152-158 (1992).
*	EG	Sommer <i>et al.</i> , Apoptosis and change of competence limit the size of the vulva equivalence group in <i>Pristionchus pacificus</i> : a genetic analysis, <u>Current Biology</u> 6(1):52-59 (1996).
*	EH	Sommer <i>et al.</i> , Evolution of Nematode Vulval Fate Patterning, <u>Developmental Biology</u> 173(2):396-407 (1996).
*	EI	Sommer <i>et al.</i> , Changes of Induction and Competence During the Evolution of Vulva Development in Nematodes, <u>Science</u> 265:114-118 (1994).
*	EJ	Sternberg <i>et al.</i> , Molecular Genetics of Proto-oncogenes and Candidate Tumor Suppressors in <i>Caenorhabditis elegans</i> , <u>Cold Spring Harb. Symp. Quant. Biol.</u> 59:155-163 (1994).
*	EK	Sternberg <i>et al.</i> , Intercellular Signaling and Signal Transduction in <i>C. elegans</i> , <u>Annu. Rev. Genet.</u> 27:497-521 (1993).
*	EL	Sternberg <i>et al.</i> , LET-23-Mediated Signal Transduction During <i>Caenorhabditis elegans</i> Development, <u>Mol. Reprod. Dev.</u> 42(4):523-528 (1995).
*	EM	Sternberg, Control of cell fates within equivalence groups in <i>C. elegans</i> , <u>TINS</u> 11(6):259-264 (1988).
*	EN	Sternberg <i>et al.</i> , Genetics of RAS signaling in <i>C. elegans</i> , <u>TIG</u> 14(11):466-472 (1998).
*	EO	Sternberg <i>et al.</i> , <i>lin-17</i> Mutations of <i>Caenorhabditis elegans</i> Disrupt Certain Asymmetric Cell Divisions, <u>Developmental Biology</u> 130:67-73 (1988).
*	EP	Sternberg <i>et al.</i> , Role of a <i>raf</i> proto-oncogene during <i>Caenorhabditis elegans</i> vulval development, <u>Phil. Trans. R. Soc. Lond. B. Biol. Sci.</u> 340(1293):259-265 (1993).
	EQ	Strojek <i>et al.</i> , The Use of Transgenic Animal Techniques for Livestock Improvement, <u>Genetic Engineering: Principles and Methods</u> , 10:221-46 (1988).
*	ER	Sulston <i>et al.</i> , The <i>Caenorhabditis elegans</i> Male: Postembryonic Development of Nongonadal Structures, <u>Developmental Biology</u> 78:542-576 (1980).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
18021-2919BSERIAL NO.
09/655,160LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S INFORMATION DISCLOSURE
STATEMENTAPPLICANT
Sternberg et al.FILING DATE
September 5, 2000GROUP
1632

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

*	ES	The <i>C. elegans</i> Sequencing Consortium, Genome Sequence of the Nematode <i>C. elegans</i> : A Platform for Investigating Biology, <u>Science</u> 282:2012-2018 (1998).
*	ET	Torres <i>et al.</i> , New insights into polycystic kidney disease and its treatment, <u>Current Opinion in Nephrology and Hypertension</u> 7:159-169 (1998).
*	EU	Tsiokas <i>et al.</i> , Homo- and heterodimeric interactions between the gene products of PKD1 and PKD2, <u>Proc. Natl. Acad. Sci. USA</u> 94:6965-6970 (1997).
	EV	Wall <i>et al.</i> , Transgenic Livestock: Progress and Prospects for the Future, <u>Theriogenology</u> , 45:57-68 (1996).
*	EW	Wang <i>et al.</i> , Competence and Commitment of <i>Caenorhabditis elegans</i> Vulval Precursor Cells, <u>Developmental Biology</u> 212(1):12-24 (1999).
*	EX	Wang <i>et al.</i> , Patterning of the <i>C. elegans</i> 1 degree vulval lineage by RAS and Wnt pathways, <u>Development</u> 127:5047-58 (2000).
*	EY	Ward <i>et al.</i> , Electron Microscopical Reconstruction of the Anterior Sensory Anatomy of the Nematode <i>Caenorhabditis elegans</i> , <u>J. Comp. Neur.</u> 160:313-337 (1975).
*	EZ	Watson <i>et al.</i> , The Fine Structure of Bacterial and Phage Genes, <u>Molecular Biology of the Gene</u> , 4th Edition p. 224 (1987).
*	FA	White <i>et al.</i> , The Structure of the Nervous System of the Nematode <i>Caenorhabditis Elegans</i> , <u>Phil. Trans. R. Soc. Lond. B</u> 314:1-67 (1986).
	FB	Wilson <i>et al.</i> , 2.2 Mb of contiguous nucleotide sequence from chromosome III of <i>C. elegans</i> , <u>Nature</u> 368:32-8 (1994).
*	FC	Yoon <i>et al.</i> , Similarity of <i>sl-1</i> , a Regulator of Vulval Development in <i>C. elegans</i> , to the Mammalian Proto-Oncogene <i>c-cbl</i> , <u>Science</u> 269(5227):1102-1105 (1995).
*	FD	Yoon <i>et al.</i> , Requirements of Multiple Domains of SLI-1, a <i>Caenorhabditis elegans</i> Homologue of c-Cbl, and an Inhibitory Tyrosine in LET-23 in Regulating Vulval Differentiation, <u>Molecular Biology of the Cell</u> 11:4019-31 (2000).
*	FE	Zerres <i>et al.</i> , Mapping of the gene for autosomal recessive polycystic kidney disease (ARPKD) to chromosome 6p21-cen, <u>Nature Genetics</u> 7:429-432 (1994).
*	FF	Zhen <i>et al.</i> , The liprin protein SYD-2 regulates the differentiation of presynaptic termini in <i>C. elegans</i> , <u>Nature</u> 401:371-375 (1999).
*	FG	Zwaal <i>et al.</i> , Two Neuronal G Proteins are Involved in Chemosensation of the <i>Caenorhabditis elegans</i> Dauer-Inducing Pheromone, <u>Genetics</u> 145(3):715-727 (1997).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.